

## INDEX TO VOLUME 74

## AUTHORS

- Allen, Larry G., and Michael P. Franklin: Distribution and Abundance of Young-of-the-Year White Seabass, *Atractoscion nobilis*, in the Vicinity of Long Beach Harbor, California in 1984-1987, 245-248.
- Allen, Sarah G., Christine A. Ribic, and Janet E. Kjelson: Herd Segregation in Harbor Seals at Point Reyes, California, 55-59.
- Anderson, M. Eric: see Zorzi and Anderson, 87-105.
- Asato, Stanford L.: see Ellis, Landesman, Asato, and Zambrano, 174-176.
- Baldrige, H. David: Shark Aggression Against Man: Beginnings of an Understanding, 208-217.
- Bartley, Devin M.: see Hedgecock and Bartley, 119-127.
- Burton, Timothy S.: see Loft, Burton, Menke, and Peterson, 154-171.
- Cailliet, Gregor M., Edwin K. Osada, and Michael Moser: Ecological Studies of Sablefish in Monterey Bay, 132-153.
- Carter, Harry R.: See Hobson and Carter, 184-185.
- Carvalho, Alberto: On Some Abnormalities in the Chelae of Commercial Crabs (Genus *Cancer*) in Baja California, Mexico, 172-174.
- Chilcote, Mark W.: see Loch, Leider, Chilcote, Cooper, and Johnson, 106-118.
- Cooper, Randy: see Loch, Leider, Chilcote, Cooper, and Johnson, 106-118.
- Dutton, Peter: see Jones, Dutton, and Snodgrass, 236-238.
- Ebert, Earl E.: see Ebert and Ebert, 68-81.
- Ebert, Thomas B., and Earl E. Ebert: An Innovative Technique for Seeding Abalone and Preliminary Results of Laboratory and Field Trials, 68-81.
- Ellis, Lloyd B., Jeffrey G. Landesman, Stanford L. Asato, and Daniel R. Zambrano: Second record of *Cubiceps paradoxus* and *Antennarius avalonis* from California, 174-176.
- Emmett, Robert L.: see Muir, Emmett, and McConnell, 49-54.
- Franklin, Michael P.: see Allen and Franklin, 245-248.
- Haaker, Peter L.: see Henderson, Parker, and Haaker, 82-86.
- Harmon, Wallace M.: see Rupiper and Harmon, 239-240.
- Hedgecock, Dennis, and Devin M. Bartley: Allozyme Variation in the California Halibut, *Paralichthys californicus*, 119-127.
- Henderson, Kristine C., David O. Parker, and Peter L. Haaker: The Survival and Growth of Transplanted Adult Pink Abalone, *Haliotis corrugata*, at Santa Catalina Island, 82-86.
- Hobson, Keith A., and Harry R. Carter: Bill Deformity in a Brandt's Cormorant Chick, 184-185.
- Hunter, D.: See Littrell and Hunter, 183.
- Johnson, Thom H.: see Loch, Leider, Chilcote, Cooper, and Johnson, 106-118.
- Jones, Anthony T., Peter Dutton, and Robert E. Snodgrass: Reoccurrence of the Pacific Seahorse, *Hippocampus ingens*, in San Diego Bay, 236-238.
- Kjelson, Janet E.: see Allen, Ribic, and Kjelson, 55-59.
- Landesman, Jeffrey G.: see Ellis, Landesman, Asato, and Zambrano, 174-176.
- Lea, Robert N.: Family Himantolophidae Added to the Ichthyofauna of the Temperate Eastern North Pacific, 180-182.
- Leider, Steven A.: see Loch, Leider, Chilcote, Cooper, and Johnson, 106-118.
- Littrell, E. E.: Waterfowl Mortality in Rice Fields Treated with the Carbamate, Carbofuran, 226-231.
- Littrell, E. E., and D. Hunter: Wild Carnivore Deaths Due to Anticoagulant Intoxication, 183.
- Loch, John J., Steven A. Leider, Mark W. Chilcote, Randy Cooper, and Thom H. Johnson: Differences in Yield, Emigration-Timing, Size, and Age Structure of Juvenile Steelhead from Two Small Western Streams, 106-118.
- Loft, Eric R., Timothy S. Burton, John W. Menke, and Gary E. Peterson: Characterization of Black-Tailed Deer Habitats in a Northern California Oak-Conifer Zone, 154-171.
- McConnell, Robert J.: see Muir, Emmett, and McConnell, 49-54.
- Menke, John W.: see Loft, Burton, Menke, and Peterson, 154-171.
- Middaugh, Douglas P., and Jonathan M. Shenker: Salinity Tolerance of Young Topsmelt, *Atherinops affinis*, Cultured in the Laboratory: 232-235.
- Moran-O'Connell, Victoria: see Rosenthal, Moran-O'Connell, and Murphy, 16-37.
- Moser, Michael: see Cailliet, Osada, and Moser, 132-153.

- Muir, William D., Robert L. Emmett, and Robert J. McConnell: Diet of Juvenile and Subadult White Sturgeon in the Lower Columbia River and Its Estuary, 49-54.
- Murphy, Margaret C.: see Rosenthal, Moran-O'Connell, and Murphy, 16-37.
- Orloff, Susan: Present Distribution of Ringtails in California, 196-202.
- Osada, Edwin K.: see Cailliet, Osada, and Moser, 132-153.
- Parker, David O.: see Henderson, Parker, and Haaker, 82-86.
- Peterson, Gary E.: see Loft, Burton, Menke, and Peterson, 154-171.
- Raphael, Martin G.: see Taylor and Raphael, 4-15.
- Raquel, Paul F.: Record of the Chameleon Goby, *Tridentiger trigonocephalus*, from the Sacramento-San Joaquin Delta, 60.
- Reilly, Paul N.: Growth of Young-of-the-Year and Juvenile Pacific Herring from San Francisco Bay, California, 38-48.
- Ribic, Christine A.: see Allen, Ribic, and Kjelson, 55-59.
- Rienecker, Warren C.: Additional Notes on Migrational Distribution of Northern Pintail Banded in California, 61-63.
- Roest, Michele L.: Recent Records of the Santa Cruz Kangaroo Rat, *Dipodomys venustus venustus*, in Santa Cruz County, 177-179.
- Rosenthal, Richard J., Victoria Moran-O'Connell, and Margaret C. Murphy: Feeding Ecology of Ten Species of Rockfishes (Scorpaenidae) from the Gulf of Alaska, 16-37.
- Rupiper, David J., and Wallace M. Harmon: Prevalence of *Trichomonas gallinae* in Central California Mourning Doves, 239-240.
- Satterthwaite, Thomas D.: Influence of Maturity on Straying Rates of Summer Steelhead into the Rogue River, Oregon: 203-207.
- Shenker, Jonathan M.: see Middaugh and Shenker, 232-235.
- Snodgrass, Robert E.: see Jones, Dutton, and Snodgrass, 236-238.
- Taylor, Cathy A., and Martin G. Raphael: Identification of Mammal Tracks from Sooted Track Stations in the Pacific Northwest, 4-15.
- Titus, Robert G., and C. David Vanicek: Comparative Hooking Mortality of Lure-Caught Lahontan Cutthroat Trout at Heenan Lake, California, 218-225.
- Vanicek, C. David: see Titus and Vanicek, 218-225.
- Wicksten, Mary K.: New Records and Range Extensions of Shrimps and Crabs from California, U.S.A. and Baja California, Mexico, 241-244.
- Zambrano, Daniel R.: see Ellis, Landesman, Asato, and Zambrano, 174-176.
- Zorzi, George D., and M. Eric Anderson: Records of the Deep-Sea Skates, *Raja (Amblyraja) badia* Garman, 1899 and *Bathyraja abyssicola* (Gilbert, 1896) in the Eastern North Pacific, with a New Key to California Skates, 87-105.

## SUBJECT

- Abalone: A technique for seeding and results of laboratory and field trials, 68-81
- Abalone, pink: The survival and growth of transplanted, at Santa Catalina Island, 82-86
- Antennarius avalonis*: Second record from California, 174-176
- Carbamate: Waterfowl mortality in rice fields treated with Carbofuran, 226-231
- Crabs: Abnormalities in the chelae of, 172-174
- Crabs: New records and range extensions, 241-244
- Cubiceps paradoxus*: Second record of, from California, 174-176
- Cormorant, Brandt's: Bill deformity in 184-185
- Deaths, wild carnivore: Due to anticoagulant intoxication, 183
- Deer, Black-Tailed: Characterization of, in a Northern California oak-conifer zone, 154-171
- El Niño: 47, 86, 176, 237
- Goby, chameleon: Record, from the Sacramento-San Joaquin Delta, 60
- Halibut, California: Allozyme variation, 119-127
- Herring, Pacific: Growth of young-of-the-year and juvenile, from San Francisco Bay, 38-48
- Himantolophidae: Added to the ichthyofauna of the temperate eastern North Pacific, 180-182
- Mammal tracks: Identification of, from sooted track stations in the Pacific Northwest, 4-15
- Pintail, Northern: Additional notes on the migrational distribution, 61-63
- Rat, Santa Cruz kangaroo: Recent records of, 177-179

- Ringtails: Present distribution, in California, 196-202
- Rockfishes: Feeding ecology of ten species of, from the Gulf of Alaska, 16-37
- Sablefish: Ecological studies of, in Monterey Bay, 132-153
- Seabass, white: Distribution and abundance of young-of-the-year, in the vicinity of Long Beach Harbor, 245-248
- Seahorse, Pacific: Reoccurrence in San Diego Bay, 236-238
- Seals, harbor: Herd segregation in, at Point Reyes, 55-59
- Shark: Aggression against man, 208-217
- Shrimps: New records and range extensions, 241-244
- Skates, deep-sea: Records in the eastern North Pacific, with a new key to California skates, 87-105
- Steelhead: Differences in yield, emigration-timing, size, and age structure of juvenile, 106-118
- Steelhead, summer: Influence of maturity on straying rates of, into the Rogue River, 203-207
- Sturgeon, white: Diet of juvenile and subadult, in the lower Columbia River, 49-54
- Topsmelt: Salinity tolerance of young, cultured in the laboratory, 232-235
- Trichomonas gallinae*: Prevalence in central California Mourning Doves, 239-240
- Trout, Lahontan cutthroat: Comparative hooking mortality of lure-caught, at Heenan Lake, 218-225

### SCIENTIFIC NAMES

- Abies concolor*: 154, 159
- Acantholithodes hispidus*: 26-28
- Acer macrophyllum*: 154
- Acipenser transmontanus*: 49-54
- Aequorea aequorea*: 24
- Albatrossia pectoralis*: 136
- Allocentrotus fragilis*: 136
- Allosmerus* spp.: 21
- Amblyraja*: 87-105
- Ammodytes hexapterus*: 19-30
- Amphipoda: 143, 144
- Anas acuta*: 61-63, 227
- Anas americana*: 227
- Anas clypeata*: 227
- Anas crecca*: 227
- Anas cyanoptera*: 227
- Anas discors*: 227
- Anas platyrhynchos*: 226
- Anas strepera*: 227
- Anisakis*: 145
- Anoplopoma fimbria*: 19-22, 24, 132-153
- Antennariidae: 175
- Antennarius avalonis*: 174-176
- Anthomastus ritteri*: 136
- Antimora microlepis*: 136,
- Apristurus brunneus*: 136
- Arbutus menziesii*: 154
- Arctostaphylos* sp.: 177
- Artedius* spp.: 27
- Artemia*: 233
- Astacus fluviatilis*: 172
- Asteronyx loveni*: 136
- Atherinops affinis*: 175, 232-235
- Atherinopsis californiensis*: 235
- Atractoscion nobilis*: 119, 245-248
- Bassariscus astutus*: 6, 10, 13, 196-202
- Bassariscus astutus nevadensis*: 198
- Bassariscus astutus octavus*: 197, 198
- Bassariscus astutus raptor*: 197
- Bassariscus astutus willetti*: 200
- Bassariscus astutus yumanensis*: 200
- Bathylagus* spp.: 144
- Bathyraja*: 102, 103
- Bathyraja abyssicola*: 87-105
- Bathyraja interrupta*: 104
- Bathyraja spinosissima*: 104
- Bathyraja trachura*: 104
- Botryoglossum farlowianum*: 73
- Brachyura: 19-30
- Brisaster townsendi*: 136
- Buteo jamaicensis*: 227
- Callianassa goniophthalma*: 143
- Callistoma annulatum*: 25
- Callistoma ligatum*: 27
- Cancer: 172-174
- Cancer antennarius*: 136, 172-173
- Cancer anthonyi*: 172-173
- Cancer branneri*: 29
- Cancer magister*: 136, 172
- Cancer oregonensis*: 25-30
- Cancer pagurus*: 172
- Cancer productus*: 136
- Cancer* spp.: 73
- Canis latrans*: 6, 8, 11
- Caprella* spp.: 144
- Caprellidae: 25
- Carcharhinus leucas*: 210
- Carcharhinus menisorrhah*: 214
- Carcharodon carcharias*: 210
- Caridea: 19-30
- Carididae: 30
- Ceanothus integerrimus*: 159
- Ceanothus* sp.: 177
- Cephalopoda: 142-144

- Chen caerulescens*: 227  
*Chionoecetes tanneri*: 136, 144  
*Circus cyaneus*: 227  
*Citharichthys sordidus*: 136, 144  
 Cladocera: 25  
*Clione*: 21, 22  
*Clupea harengus pallasii*: 19-30, 38-48, 133  
*Clythrocerus decorus*: 242  
*Clythrocerus planus*: 242  
*Cololabis saira*: 141, 142  
*Columba livia*: 240  
 Copepoda: 144  
*Cornus nuttallii*: 157, 159  
*Corophium salmonis*: 51-53  
*Corynolophus sagamius*: 180  
*Corylus cornuta californica*: 157  
*Coryphaenoides acrolepis*: 136  
*Cottus aleuticus*: 107  
*Cottus rhotheus*: 107  
*Cottus* spp.: 109  
*Crangon franciscorum*: 51-53  
*Cubiceps gracilis*: 174  
*Cubiceps paradoxus*: 174-176  
 Cyclopteridae: 27  
 Decapoda: 143, 144  
*Dendrocygna bicolor*: 230  
*Didelphis virginiana*: 5, 9, 13  
*Dipodomys venustus sanctiluciae*: 177  
*Dipodomys venustus venustus*: 177-179  
*Echinorhinus cookei*: 136  
*Engaulis mordax*: 21, 51-53, 133, 142, 144  
*Entosphenus tridentatus*: 107, 143  
*Eopsetta jordani*: 136  
*Eptatretus deani*: 136  
*Eptatretus stouti*: 136, 144  
*Erethizon dorsatum*: 6, 9, 13  
*Eualus lineatus*: 242  
*Eualus subtilis*: 242  
 Euphausiacea: 143, 144  
*Felis concolor*: 7, 8, 11, 183  
*Felis rufus*: 7, 8, 11  
*Fulica americana*: 227  
 Gadidae: 22, 23, 27  
*Galeocercus cuvieri*: 212  
 Gammeridae: 19-30  
*Gigartina* spp.: 73  
*Glaucomyx sabrinus*: 6, 9, 12  
*Gnathophausia ingens*: 144  
*Gonatus* spp.: 143, 144  
*Haliotis corrugata*: 78, 82-86  
*Haliotis discus hannai*: 79  
*Haliotis fulgens*: 82  
*Haliotis kamtschatkana*: 26  
*Haliotis rufescens*: 68-81  
*Heptacarpus fuscimaculatus*: 243  
*Heptacarpus pictus*: 243  
*Heptacarpus pugettensis*: 242  
*Heptacarpus stimpsoni*: 243  
*Heptacarpus taylori*: 242  
 Hexagrammidae: 19-30  
*Hexagrammos decagrammus*: 21  
*Hexagrammos* spp.: 19  
 Himantolophidae: 180-182  
*Himantolophus appeli*: 180  
*Himantolophus azurlucens*: 180  
*Himantolophus borealis*: 180  
*Himantolophus groenlandicus*: 180-181  
*Himantolophus* sp.: 180-182  
*Hippocampus ingens*: 236-238  
*Hippoglossus stenolepis*: 122  
 Holothuroidea: 136, 144  
*Hyas lyratus*: 26  
 Hyperidae: 23, 24  
 Isopoda: 143, 144  
*Kellettia kelletii*: 79  
*Laminaria* spp.: 73  
*Lampetra richardsoni*: 109  
*Lampetra tridentata*: 107, 143  
*Lebbeus lagunae*: 243  
*Liboedrus decurrens*: 154  
*Limacina* sp.: 19, 22, 23  
 Limacinidae: 21, 24  
*Limanda aspera*: 122  
*Linnaea borealis*: 160  
*Lithocarpus densiflorus*: 154  
*Loligo opalescens*: 133, 142  
*Loxorhynchus crispatus*: 73  
*Loxorhynchus* spp.: 144  
*Lycodapus* spp.: 144  
*Macrocystis pyrifera*: 83  
*Macrocystis* spp.: 71, 73  
*Margarites* sp.: 25  
*Martes americana*: 7, 10, 14  
*Martes pennanti*: 7, 10, 14  
*Menidia beryllina*: 236  
*Mephitis mephitis*: 7, 10, 14  
*Merluccius productus*: 136, 144  
*Microstomus pacificus*: 136, 144, 180  
*Mustela erminea*: 7, 10, 14  
*Mustela frenata*: 7, 10, 14  
*Mustela vison*: 7, 10, 14  
 Mysidacea: 21, 25  
 Mysidae: 21, 22, 24, 25, 28, 29  
*Negaprion brevirostris*: 216  
*Neomysis mercedes*: 51-53  
*Neotoma fuscipes*: 6, 9, 12  
 Nomeidae: 174  
*Octopus* spp.: 24, 73, 142, 143

- Odocoileus hemionus*: 154-171  
*Oncorhynchus keta*: 109  
*Oncorhynchus kisutch*: 107  
*Oncorhynchus nerka*: 206  
*Oncorhynchus* spp.: 19, 49, 203  
*Ophiodon elongatus*: 27, 136  
*Ophiopholis aculeata*: 25-30  
Ophiuroidea: 26  
*Orchomene* spp.: 143, 144  
*Oregonia gracilis*: 30  
*Orthasterus koehleri*: 73  
Paguridae: 26, 30  
*Paguristes* spp.: 73  
*Pagurus* spp.: 26, 28, 30  
*Pagurus tanneri*: 243  
*Pandalus danae*: 29, 30  
*Pandalus montagui*: 30  
*Pandalus* spp.: 27-29  
*Pandalus tridens*: 27  
*Paralichthys californicus*: 119-127, 248  
*Paraliparis* sp.: 136  
*Paralithodes* spp.: 144  
*Parophrys vetulus*: 144  
Pelecypoda: 143, 144  
*Phalacrocorax carbo*: 185  
*Phalacrocorax penicillatus*: 184-185  
*Phoca vitulina*: 55-59  
Phocanema: 145  
*Pinus lambertiana*: 154  
*Pinus ponderosa*: 154, 157  
*Pinus* sp.: 159  
*Pisaster* spp.: 73  
*Placetron wosnessenski*: 27  
*Pleurobranchaea californica*: 136  
Pleuronectiformes: 144  
Polychaeta: 143, 144  
*Porichthys notatus*: 144  
*Procyon lotor*: 7, 10, 13, 183  
*Prosopium williamsoni*: 107  
*Pseudotsuga menziesii*: 154, 157, 159  
*Pteridium aquilinum*: 159  
*Pterygophora californica*: 73  
*Pugettia gracilis*: 25, 26, 28, 30  
*Pugettia* sp.: 26, 27  
*Pycnopodia helianthoides*: 73  
*Quercus chrysolepis*: 154  
*Quercus garryana*: 154, 159  
*Quercus kelloggii*: 154, 157, 159  
*Quercus wislizenii*: 154  
*Raja*: 102, 103  
*Raja badia*: 87-105  
*Raja binoculata*: 104  
*Raja hyperborea*: 93  
*Raja inornata*: 104  
*Raja rhina*: 104  
*Raja stellulata*: 104  
*Rathbunaster californicus*: 136  
*Rhodymenia* spp.: 73  
*Saduria entomon*: 51-53  
*Salmo clarki*: 107, 206  
*Salmo clarki henshawi*: 218-225  
*Salmo gairdneri*: 106-118, 203-207, 223  
Salpidae: 23-25, 136, 144  
*Sciurus griseus*: 6, 9, 12  
*Scorpaenichthys marmoratus*: 73  
*Scyra acutifrons*: 26, 28, 30  
*Sebastes*: 16-37  
*Sebastes caurinus*: 16-37  
*Sebastes ciliatus*: 16-37  
*Sebastes emphaeus*: 16-37  
*Sebastes entomelas*: 16-37  
*Sebastes flavidus*: 16-37  
*Sebastes helvomaculatus*: 27  
*Sebastes maliger*: 16-37  
*Sebastes melanops*: 16-37  
*Sebastes melanostomus*: 136  
*Sebastes nebulosis*: 16-37  
*Sebastes nigrocinctus*: 16-37  
*Sebastes paucispinus*: 136  
*Sebastes pinniger*: 136  
*Sebastes proriger*: 37  
*Sebastes rosenblatti*: 136  
*Sebastes ruberrimus*: 16-37  
*Sebastes* spp.: 30, 136, 143, 144  
*Sebastolobus* spp.: 136  
*Solenocera mutator*: 241  
*Somniosus pacificus*: 136  
*Spermophilus beecheyi*: 6, 9, 12  
*Spermophilus lateralis*: 6, 9, 12  
Sphaeromatidae: 28  
*Sphyrna* sp.: 208  
*Spilogale gracilis*: 7, 10, 14  
*Squalus acanthus*: 136, 144  
*Strongylocentrotus droenbachiensis*: 27  
*Stylatula elongata*: 136  
*Symphoricarpos mollis*: 159  
*Tamias* spp.: 5, 8, 12  
*Tamiasciurus douglasii*: 6, 9, 12  
*Tarletonbeania crenularis*: 150  
*Thaleichthys pacificus*: 51-53  
*Theragra chalcogramma*: 24  
*Thysanoessa raschii*: 28  
*Toxicodendron diversiloba*: 157  
*Trichomonas gallinae*: 239-240  
*Tridentiger trigonocephalus*: 60-61  
*Trientalis latifolia*: 160  
*Urocyon cinereoargenteus*: 6, 8, 11  
*Ursus americanus*: 6, 10, 13

*Vampyrotheuthis infernalis*: 144

*Zenaida macroura*: 239-240

Zoarcidae: 144

